

E2 CONTRACT LIGHTING

BRASS LIGHTING BROCHURE



INTRODUCTION

We have been Designing and Manufacturing lights for over 30 Years. Our Workshop is based in the Beautiful Staffordshire Countryside and is fully equipped to fulfill all of your Lighting Requirements. Our Team is built up of Skilled craftsmen, who each bring a different Dynamic and Speciality to the Workplace.

INDEX

002	INTRODUCTION
003	FINISHES
005	CEILING
006	CHANDELIERS
019	FLUSH & SEMI-FLUSH
031	PENDANTS
044	WALL
045	WALL LIGHTS
098	PICTURE & POSTER LIGHTS
133	TABLE
134	TABLE LAMPS
140	FLOOR LAMPS
144	SPOTLIGHTS
145	DIRECTIONAL
153	TRACK
158	FLEX
159	FABRIC SWATCHES

FINISHES

Each of our Brass Lighting Products comes complete in a range of finishes listed below. Each finish offers it's very own set of unique qualities, which can change slightly from product to product due to the finishing process.



SATIN BRASS
Elegant and Charming



POLISHED BRASS
Bright and Mirrored



ANTIQUE BRASS
Rich with Warmth & Character



BRONZE
Dark and Mysterious



PEWTER
Distinguished and Blackened

PAROGON GROUP, THE SWAN WITH TWO NECKS






8 LIGHT SPUTNIK GLOBE CHANDELIER

8 LIGHT SPUTNIK GLOBE CHANDELIER

CHANDELIER

GLASS OPTION

GLOBE 200MM



SPECIFICATION

8 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

CLEAR GLOBE

CL-50348

OPAL GLOBE

CL-45012

PRISMATIC GLOBE

CL-50349


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL



8 LIGHT SPUTNIK GLOBE CHANDELIER

CUSTOM FINISHES AVAILABLE ON REQUEST.

CLEAR, OPAL & PRISMATIC GLASS AVAILABLE.




8 LIGHT SPUTNIK GLOBE CHANDELIER

8 LIGHT SPUTNIK GLOBE CHANDELIER

CHANDELIER

GLASS OPTION

GLOBE 200MM



SPECIFICATION

8 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL



8 LIGHT SPUTNIK GLOBE CHANDELIER

AVAILABLE IN A NUMBER OF FINISHES INCLUDING
SATIN BRASS, POLISHED BRASS, ANTIQUE BRASS, BRONZE
& PEWTER.

CLEAR, OPAL & PRISMATIC GLASS AVAILABLE.

PRISMATIC GLOBE

CL-50360 CL-50361 CL-50362 CL-50363 CL-50364

OPAL GLOBE

CL-50355 CL-50356 CL-50357 CL-50358 CL-50359

CLEAR GLOBE

CL-50350 CL-50351 CL-50352 CL-50353 CL-50354



TWO-TONE TIERED TUBE CHANDELIER

TWO-TONE TIERED TUBE CHANDELIER


AVAILABLE IN A NUMBER OF FINISHES, EACH FINISH IS COMBINED WITH BLACK OR WHITE TO CREATE A STYLISH FEATURE PIECE.

BLACK FLEX AS STANDARD

TWO-TONE TIERED TUBE CHANDELIER

CHANDELIER

TECHNICAL - 12 LIGHT



SPECIFICATION
12 x GU10 Max.35W
(Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


BLACK

CL-44735 CL-50154

WHITE

CL-50155 CL-50156

TECHNICAL - 6 LIGHT



SPECIFICATION
6 x GU10 Max.35W
(Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

BLACK

CL-50157 CL-50158

WHITE

CL-50163 CL-50164



5 LIGHT BRASS GLOBE CHANDELIER

5 LIGHT BRASS GLOBE CHANDELIER

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.
PRISMATIC, OPAL & CLEAR GLASS OPTIONS.


STANDARD SUSPENSION 1000MM, ALTERNATIVE SUSPENSION AVAILABLE ON REQUEST.

5 LIGHT BRASS GLOBE CHANDELIER


CHANDELIER

GLASS OPTIONS

GLOBE 200MM



TECHNICAL



SPECIFICATION

5 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-44212 CL-44211 CL-43312 CL-44213 CL-44214

OPAL GLOBE

CL-44216 CL-44215 CL-44209 CL-44217 CL-44218

CLEAR GLOBE

CL-44230 CL-44231 CL-44228 CL-44229 CL-44232



5 LIGHT BRASS ART DECO CHANDELIER

5 LIGHT BRASS ART DECO CHANDELIER


CHANDELIER

GLASS OPTIONS

ELONGATED 300MM



TECHNICAL



SPECIFICATION

5 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

ELONGATED OPAL GLASS

CL-44220 CL-44219 CL-44210 CL-44221 CL-44222

ELONGATED CLEAR GLASS

CL-44225 CL-44226 CL-44223 CL-44224 CL-44227

5 LIGHT BRASS ART DECO CHANDELIER

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
PRISMATIC, OPAL & CLEAR GLASS OPTIONS.

STANDARD SUSPENSION 1000MM, ALTERNATIVE
SUSPENSION AVAILABLE ON REQUEST.



SMOOTH & RIBBED

CHANDELIER

8 ARM BRASS TUBE CHANDELIER


CHANDELIER

LAMP HOLDER OPTIONS


SMOOTH



RIBBED



TECHNICAL



SPECIFICATION

8 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

SMOOTH BRASS LAMP HOLDER

CL-43127 CL-43731 CL-43732 CL-43733 CL-44171

RIBBED BRASS LAMP HOLDER

CL-50138 CL-50137 CL-50134 CL-50135 CL-50136

8 ARM BRASS TUBE CHANDELIER

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.
RIBBED AND SMOOTH OPTIONS AVAILABLE

CHAIN SUSPENSION 1200MM AS STANDARD, ALTERNATIVES AVAILABLE ON REQUEST.



BRASS DISH CHANDELIER

CHANDELIER

FINISHES

- CL-43932
- CL-43934
- CL-43414
- CL-43933
- CL-44170

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


DISH DIA.Ø

263MM

SPECIFICATION

5 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

TECHNICAL



PAROGON GROUP, THE RED HOUSE



SEMI FLUSH ART DECO

SEMI-FLUSH

FINISHES

- CL-44747
- CL-44746
- CL-44717
- CL-44744
- CL-44745

MATERIALS

Solid Brass

GLASS

Clear


LEAD TIME

Up to 4 Weeks

SPECIFICATION

4 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

TECHNICAL



SEMI FLUSH ART DECO

SEMI-FLUSH

FINISHES

- CL-50288
- CL-50287
- CL-50284
- CL-50285
- CL-50286

MATERIALS

Solid Brass

GLASS

Opal


LEAD TIME

Up to 4 Weeks

SPECIFICATION

4 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

TECHNICAL





4 LIGHT GLASS GLOBE SEMI FLUSH

4 LIGHT GLASS GLOBE SEMI FLUSH


SEMI-FLUSH

GLASS OPTIONS

GLOBE 200MM



TECHNICAL



SPECIFICATION

4 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-50298 CL-50297 CL-50294 CL-50295 CL-50296

OPAL GLOBE

CL-44727 CL-44726 CL-44716 CL-44724 CL-44725

CLEAR GLOBE

CL-50293 CL-50292 CL-50289 CL-50290 CL-50291

4 LIGHT GLASS GLOBE SEMI FLUSH

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
PRISMATIC, OPAL & CLEAR GLASS OPTIONS.

CHANDELIER OPTION AVAILABLE, ASK FOR DETAILS.



3 LIGHT GLASS GLOBE SEMI FLUSH

3 LIGHT ELONGATED SEMI FLUSH

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.
PRISMATIC, OPAL & CLEAR GLASS OPTIONS.


CHANDELIER OPTION AVAILABLE, ASK FOR DETAILS.

3 LIGHT GLASS GLOBE SEMI FLUSH


SEMI-FLUSH

GLASS OPTIONS

GLOBE 200MM



TECHNICAL



SPECIFICATION

3 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-50309 CL-50310 CL-50311 CL-50312 CL-50313

OPAL GLOBE

CL-44731 CL-44730 CL-44719 CL-44728 CL-44729

CLEAR GLOBE

CL-50304 CL-50305 CL-50306 CL-50307 CL-50308



3 LIGHT ART DECO SEMI FLUSH

3 LIGHT ART DECO SEMI FLUSH


SEMI-FLUSH

GLASS OPTIONS

ELONGATED 300MM



TECHNICAL



SPECIFICATION

3 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

ELONGATED OPAL GLASS

CL-50299 CL-50300 CL-50301 CL-50302 CL-50303

ELONGATED CLEAR GLASS

CL-44732 CL-44720 CL-44743 CL-44724 CL-44742

3 LIGHT ELONGATED SEMI FLUSH


AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
OPAL & CLEAR GLASS OPTIONS.

CHANDELIER OPTION AVAILABLE, ASK FOR DETAILS.



SEMI FLUSH LIGHT WITH CLEAR GLASS

TECHNICAL - 8 LIGHT



SPECIFICATION
8 x E27 Max.40W
(Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS
Solid Brass

LEAD TIME
Up to 4 Weeks


FINISHES

CL-44621 CL-50140 CL-50142 CL-50141 CL-50143

SEMI FLUSH LIGHT WITH CLEAR GLASS

SEMI-FLUSH

TECHNICAL - 6 LIGHT



SPECIFICATION
6 x E27 Max.40W
(Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS
Solid Brass

LEAD TIME
Up to 4 Weeks

FINISHES

CL-50152 CL-50153 CL-50149 CL-50150 CL-50151

TECHNICAL - 3 LIGHT



SPECIFICATION
3 x E27 Max.40W
(Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS
Solid Brass

LEAD TIME
Up to 4 Weeks

FINISHES

CL-50147 CL-50148 CL-50144 CL-50145 CL-50146



FLUSH BRASS DISH

FLUSH


FINISHES

- CL-44138
- CL-44140
- CL-44139
- CL-44141
- CL-44182

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



PAROGON GROUP, THE RED HOUSE



FLUTED BRASS TUBE PENDANT

FLUTED BRASS TUBE PENDANT

PENDANTS

PENDANT OPTION

RIBBED



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


WITH FIXED ROD

CL-44788 CL-44787 CL-44784 CL-44785 CL-44786

WITH FLEX

CL-44796 CL-44795 CL-44792 CL-44793 CL-44794

TECHNICAL



RIBBED BRASS PENDANT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
FIXED ROD AND FLEX OPTIONS ALSO AVAILABLE

BLACK FLEX AS STANDARD
SEE PAGE. 141 FOR OTHER FLEX OPTIONS



FLUTED BRASS CLUSTER

PENDANTS


FINISHES

- CL-44801
- CL-44800
- CL-44797
- CL-44798
- CL-44799

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

3 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TRADITIONAL PENDANT

PENDANTS

FINISHES

- CL-43910
- CL-43912
- CL-43478
- CL-43911
- CL-50374

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

SPECIFICATION

3 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

TECHNICAL





DISTRESSED PENDANT

PENDANTS


FINISHES

CL-43871

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



OPAL GLOBE PENDANT

PENDANTS

FINISHES

CL-43880
CL-43882
CL-43881
CL-43883
CL-50375


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



PRISMATIC GLASS CONE PENDANT

PRISMATIC GLASS CONE PENDANT

PENDANTS

GLASS OPTIONS

PRISMATIC



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL



270MM GLASS

CL-43716 CL-43717 CL-43714 CL-43715 CL-50317

350MM GLASS

CL-43711 CL-43712 CL-28981 CL-43710 CL-50318

LARGE PRISMATIC PENDANT

AVAILABLE IN A NUMBER FINISHES INCLUDING SATIN BRASS,
BRONZE & PEWTER.

270MM & 350MM GLASS AVAILABLE

CHAIN SUSPENSION 1300MM AS STANDARD



OPAL ROD PENDANT

PENDANTS

FINISHES

- CL-43575
- CL-44116
- CL-44115
- CL-44117
- CL-44411


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ART DECO GLASS PENDANT

PENDANTS

FINISHES

- CL-43668
- CL-43669
- CL-43665
- CL-43670
- CL-50376


MATERIALS

Solid Brass

GLASS

Clear

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ART DECO GLASS PENDANT

PENDANTS

FINISHES

- CL-43674
- CL-43675
- CL-43672
- CL-43673
- CL-50377


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS DOME PENDANT

PENDANTS

FINISHES

- CL-44370
- CL-50397
- CL-50398
- CL-50399
- CL-50400


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



DIAMOND BRASS TWIN LIGHT
WALL LIGHT

FINISHES

- CL-50365
- CL-50366
- CL-44974
- CL-50367
- CL-50368

MATERIALS

Solid Brass

SHADES

Frame only


SPECIFICATION

2 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks

TECHNICAL





TWO-TONE BRASS



WALL LIGHT

TWO-TONE GLOBE

WALL LIGHT

GLASS OPTIONS

GLOBE 200MM



SPECIFICATION

2 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-43638

OPAL GLOBE

CL-43636

CLEAR GLOBE

CL-43637

TWO-TONE BRASS WALL LIGHT WITH GLOBES

AVAILABLE IN A NUMBER OF COMBINATIONS SUCH AS BLACK & SATIN BRASS, BLACK & ANTIQUE BRASS. ASK FOR MORE DETAILS.

CLEAR, OPAL & PRISMATIC GLASS OPTIONS AVAILABLE



TWIN ARM BRASS WALL LIGHT

BRASS TWIN ARM WALL LIGHT


AVAILABLE IN A NUMBER OF FINISHES INCLUDING POLISHED BRASS, SATIN BRASS, ANTIQUE BRASS, BRONZE & PEWTER. CLEAR, OPAL & PRISMATIC GLASS OPTIONS AVAILABLE

TWIN ARM BRASS WALL LIGHT WITH GLASS

WALL LIGHT

GLASS OPTIONS




PRISMATIC



FLUTED



OPAL



TECHNICAL

SPECIFICATION

2 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLASS

CL-44783 CL-44782 CL-44779 CL-44780 CL-44781

FLUTED GLASS

CL-50378 CL-50379 CL-50380 CL-50381 CL-50382

SPECIFICATION

2 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

OPAL GLASS

CL-50383 CL-50384 CL-50385 CL-50386 CL-50387



TRADITIONAL GLOBE

WALL LIGHT

FINISHES

- CL-42373
- CL-50045
- CL-50047
- CL-50048
- CL-50049


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TRADITIONAL WALL LIGHT

WALL LIGHT

FINISHES

- CL-44771
- CL-44770
- CL-44766
- CL-44767
- CL-44768


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



FLORAL BRASS WITH FLUTED GLASS

FINISHES

- CL-50369
- CL-50370
- CL-50371
- CL-50372
- CL-50373


MATERIALS

Solid Brass

GLASS

Fluted

TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE PRISMATIC WALL LIGHT

FINISHES

- CL-50050
- CL-50051
- CL-50052
- CL-50053
- CL-50054


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



EXPOSED FLEX BRASS WALL LIGHT


FINISHES

- CL-44777
- CL-44776
- CL-44773
- CL-44774
- CL-44775

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



OPAL GLASS BRASS WALL LIGHT

FINISHES

- CL-50025
- CL-50024
- CL-50021
- CL-50022
- CL-50023


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks




TEARDROP GLASS BRASS WALL LIGHT

TEARDROP GLASS BRASS WALL LIGHT


WALL LIGHT

GLASS OPTIONS


CLEAR



OPAL



TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

CLEAR GLASS

CL-50030 CL-50029 CL-50026 CL-50027 CL-50028

OPAL GLASS

CL-50035 CL-50034 CL-50031 CL-50032 CL-50033

OPAL TEARDROP WALL LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, POLISHED BRASS, BRONZE & PEWTER.

CLEAR & OPAL GLASS AVAILABLE



TAPERED OPAL BRASS WALL LIGHT

FINISHES

- CL-50040
- CL-50038
- CL-50036
- CL-50037
- CL-50039


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



OPAL GLOBE BRASS WALL LIGHT

FINISHES

- CL-50015
- CL-50014
- CL-50011
- CL-50012
- CL-50013


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



OPAL GLOBE BRASS WALL LIGHT

FINISHES

- CL-50020
- CL-50019
- CL-50016
- CL-50017
- CL-50018


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL SWAN NECK WALL LIGHT


FINISHES

- CL-44406
- CL-44407
- CL-44069
- CL-44409
- CL-44408

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL SWAN NECK WALL LIGHT

FINISHES

-  CL-43997
-  CL-44254
-  CL-44253
-  CL-44255
-  CL-44266

MATERIALS

Solid Brass

SHADES

See pg.159


SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks

TECHNICAL



DECORATIVE FLORAL WALL LIGHT

FINISHES

-  CL-50456
-  CL-50457
-  CL-50458
-  CL-50459
-  CL-50460

MATERIALS

Solid Brass

SHADES

Frame Only


SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks

TECHNICAL





ADJUSTABLE SWAN NECK WALL LIGHT


FINISHES

- CL-44238
- CL-44239
- CL-44237
- CL-43996
- CL-44240

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x BC Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS DOME WALL LIGHT

WALL LIGHT


FINISHES

- CL-43987
- CL-44102
- CL-44103
- CL-44104
- CL-44205

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SWAN NECK GLOBE WALL LIGHT

FINISHES

- CL-44143
- CL-44144
- CL-44142
- CL-44145
- CL-44154

SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks


MATERIALS

Solid Brass

GLASS

Clear

TECHNICAL



SMALL PRISMATIC WALL LIGHT

FINISHES

- CL-43735
- CL-43734
- CL-42372
- CL-43736
- CL-44202

SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


LEAD TIME

Up to 4 Weeks

MATERIALS

Solid Brass

TECHNICAL





GLASS DISC & BRASS WALL LIGHT


FINISHES

- CL-50476
- CL-50477
- CL-50478
- CL-50479
- CL-50480

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL BRASS CONE WALL LIGHT


FINISHES

- CL-43807
- CL-42790
- CL-43806
- CL-43808
- CL-44204

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL DECORATIVE GLASS WALL LIGHT

TRADITIONAL BRASS WALL LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.
FLUTED & PRISMATIC GLASS AVAILABLE

SMALL DECORATIVE GLASS WALL LIGHT

WALL LIGHT

GLASS OPTIONS


PRISMATIC



FLUTED



TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLASS

CL-44809 CL-44813 CL-44810 CL-44811 CL-44812

FLUTED GLASS

CL-50005 CL-50004 CL-50001 CL-50002 CL-50003



ADJUSTABLE FLUTED WALL LIGHT

FINISHES

- CL-50046
- CL-50044
- CL-50041
- CL-50042
- CL-50043


MATERIALS

Solid Brass

GLASS

Fluted

TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



4 LIGHT FLEMISH BRASS WALL LIGHT

FINISHES

- CL-43121
- CL-44281
- CL-44280
- CL-44282
- CL-44283

MATERIALS

Solid Brass

SHADES


See pg.159

SPECIFICATION

4 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks





4 LIGHT FLEMISH BRASS WALL LIGHT

FINISHES

- CL-43794
- CL-43796
- CL-43795
- CL-43797
- CL-44168

SPECIFICATION

4 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



4 LIGHT FLEMISH BRASS WALL LIGHT

FINISHES

- CL-43790
- CL-43792
- CL-43791
- CL-43793
- CL-44167

SPECIFICATION

4 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL





4 LIGHT FLEMISH BRASS WALL LIGHT

FINISHES

- CL-43798
- CL-43800
- CL-43799
- CL-43801
- CL-44169

SPECIFICATION

4 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks


MATERIALS

Solid Brass

GLASS

Fluted

TECHNICAL



FLEXIBLE BRASS WALL LIGHT

FINISHES

- CL-44366
- CL-50481
- CL-50482
- CL-50483
- CL-50484

SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


LEAD TIME

Up to 4 Weeks

MATERIALS

Solid Brass

TECHNICAL





ADJUSTABLE WALL LIGHT WITH FLEX



FINISHES

- CL-44491
- CL-50485
- CL-50486
- CL-50487
- CL-50488

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SWING ARM PRISMATIC WALL LIGHT

FINISHES

- CL-43850
- CL-43851
- CL-43849
- CL-43852
- CL-44193



MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SWING ARM OPAL GLOBE WALL LIGHT

FINISHES

- CL-50441
- CL-50442
- CL-50443
- CL-50444
- CL-50445


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TRADITIONAL BRASS WALL LIGHT

FINISHES

- CL-44387
- CL-44388
- CL-43995
- CL-44385
- CL-44386


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



DISTRESSED BRASS FLUSH DISH



FINISHES

CL-43412

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TRADITIONAL BRASS WALL LIGHT

FINISHES

CL-44392
CL-44393
CL-44390
CL-44391
CL-44394



MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS SCALLOP WALL LIGHT


FINISHES

- CL-43856
- CL-43857
- CL-42975
- CL-43858
- CL-44183

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS CONE WALL LIGHT

WALL LIGHT


FINISHES

- CL-43810
- CL-43811
- CL-43371
- CL-43809
- CL-50388

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks





BRASS GLASS ROD WALL LIGHT

FINISHES

- CL-43869
- CL-44400
- CL-44397
- CL-44398
- CL-44399

SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


LEAD TIME

Up to 4 Weeks

MATERIALS

Solid Brass

TECHNICAL



DOUBLE GLASS ROD WALL LIGHT

FINISHES

- CL-43126
- CL-43728
- CL-43729
- CL-43730
- CL-44186

SPECIFICATION

2 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


LEAD TIME

Up to 4 Weeks

MATERIALS

Solid Brass

TECHNICAL






GLASS GLOBE WALL LIGHT WITH FLEX

GLASS GLOBE WALL LIGHT WITH FLEX


WALL LIGHT

GLASS OPTIONS

GLOBE 200MM



TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-43765 CL-43766 CL-43763 CL-43764 CL-50997

OPAL GLOBE

CL-43743 CL-43744 CL-43741 CL-43742 CL-50998

CLEAR GLOBE

CL-43745 CL-43746 CL-43748 CL-43747 CL-50999

GLASS GLOBE WITH FLEX

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
CLEAR, OPAL & PRISMATIC GLASS AVAILABLE

BLACK FLEX AS STANDARD



BRASS GLOBE WALL LIGHT


WALL LIGHT

BRASS GLOBE WALL LIGHT



WALL LIGHT

GLASS OPTIONS

GLOBE 200MM



TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-43777 CL-43778 CL-43775 CL-43776 CL-44415

OPAL GLOBE

CL-43769 CL-43770 CL-43767 CL-43768 CL-44414

CLEAR GLOBE

CL-43773 CL-43774 CL-43771 CL-43772 CL-44413

SWAN NECK WALL LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.

CLEAR, OPAL & PRISMATIC GLASS AVAILABLE




GLASS GLOBE BRASS WALL LIGHT

GLASS GLOBE WALL LIGHT


WALL LIGHT

GLASS OPTIONS

GLOBE 150MM



TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

PRISMATIC GLOBE

CL-43696 CL-43697 CL-43694 CL-43695 CL-44419

OPAL GLOBE

CL-43690 CL-43691 CL-43688 CL-43689 CL-44418

CLEAR GLOBE

CL-43686 CL-43687 CL-43681 CL-43685 CL-44416

ETCHED GLOBE

CL-43700 CL-43701 CL-43698 CL-43699 CL-44417

GLASS GLOBE & BRASS WALL LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS,
BRONZE & PEWTER.
CLEAR, FROSTED, OPAL & PRISMATIC GLASS OPTIONS AVAILABLE



OPAL GLOBE WALL LIGHT

WALL LIGHT

FINISHES

- CL-43783
- CL-43784
- CL-43629
- CL-43785
- CL-44185


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

2 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



OPAL GLOBE BRASS WALL LIGHT

FINISHES

- CL-42936
- CL-43781
- CL-43780
- CL-43782
- CL-44184


MATERIALS

Solid Brass

GLASS

Opal

TECHNICAL



SPECIFICATION

1 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ART DECO WALL LIGHT


WALL LIGHT

ART DECO WALL LIGHT


WALL LIGHT

GLASS OPTIONS

GLOBE



TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

CLEAR GLASS

CL-43703 CL-43704 CL-43624 CL-43702 CL-50395

OPAL GLASS

CL-43707 CL-43708 CL-43705 CL-43706 CL-50396

RIBBED GLASS & BRASS WALL LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN
BRASS, BRONZE & PEWTER.
CLEAR & OPAL GLASS OPTIONS AVAILABLE



LARGE BRASS PICTURE LIGHT




FINISHES

- CL-43725
- CL-43726
- CL-43370
- CL-43727
- CL-44321

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

4 x G9 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks




TWIN ARM BRASS PICTURE LIGHT

TWIN ARM BRASS PICTURE LIGHT

PICTURE LIGHT

TECHNICAL



SPECIFICATION

2 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

LARGE 600MM

CL-43722 CL-43723 CL-42874 CL-43724 CL-44199

SMALL 400MM

CL-43719 CL-43720 CL-43073 CL-43721 CL-44203

TWIN ARM PICTURE LIGHT

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS,
BRONZE & PEWTER.



TRADITIONAL TWIN ARM PICTURE LIGHT


FINISHES

- CL-44163
- CL-44164
- CL-44162
- CL-44165
- CL-44166

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

4 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



MINIMAL BRASS PICTURE LIGHT


FINISHES

- CL-44118
- CL-44119
- CL-41766
- CL-44120
- CL-44201

MATERIALS

Solid Brass

TECHNICAL





SPECIFICATION

2 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks





LARGE MINIMAL BRASS PICTURE LIGHT


FINISHES

- CL-50451
- CL-50452
- CL-50453
- CL-50454
- CL-50455

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

2 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



LARGE BLACK BRASS PICTURE LIGHT


FINISHES

- CL-50314
- CL-50315
- CL-50316
- CL-44008
- CL-50389

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

4 x G9 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks





BRASS PICTURE LIGHT

WALL LIGHT



FINISHES

- CL-43123
- CL-43662
- CL-43663
- CL-43664
- CL-44172

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

2 x E14 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE BRASS WALL LIGHT



FINISHES

- CL-50446
- CL-50447
- CL-50448
- CL-50449
- CL-50450

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

2 x G9 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE ARM POSTER LIGHT


FINISHES

- CL-44402
- CL-44403
- CL-44075
- CL-44405
- CL-44404

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS DOME PICTURE LIGHT


FINISHES

- CL-43963
- CL-43962
- CL-42885
- CL-43961
- CL-44175

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWO-TONE ADJUSTABLE WALL LIGHT


FINISHES

CL-43866

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWO-TONE ADJUSTABLE WALL LIGHT


FINISHES

CL-43865

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



PRISMATIC ADJUSTABLE WALL LIGHT


FINISHES

- CL-50416
- CL-50417
- CL-50418
- CL-50419
- CL-50420

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWO-TONE ADJUSTABLE WALL LIGHT


FINISHES

- CL-50411
- CL-50412
- CL-50413
- CL-50414
- CL-50415

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



DECORATIVE BRASS POSTER LIGHT


FINISHES

- CL-50426
- CL-50427
- CL-50428
- CL-50429
- CL-50430

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWO-TONE ADJUSTABLE WALL LIGHT


FINISHES

- CL-50421
- CL-50422
- CL-50423
- CL-50424
- CL-50425

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE BRASS POSTER LIGHT


FINISHES

- CL-44134
- CL-44136
- CL-44135
- CL-44137
- CL-44190

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SWAN NECK BRASS POSTER LIGHT


FINISHES

- CL-43959
- CL-43958
- CL-42850
- CL-43957
- CL-44179

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP23

LEAD TIME

Up to 4 Weeks



SMALL CYLINDER BRASS POSTER LIGHT


FINISHES

- CL-43854
- CL-43973
- CL-43971
- CL-43972
- CL-44174

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



LARGE ADJUSTABLE DOME POSTER LIGHT


FINISHES

- CL-44316
- CL-44315
- CL-44012
- CL-44317
- CL-44318

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



CONE BRASS POSTER LIGHT


FINISHES

- CL-43956
- CL-42792
- CL-42793
- CL-43955
- CL-44181

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL CONE POSTER LIGHT


FINISHES

- CL-43968
- CL-43967
- CL-43966
- CL-43853
- CL-44173

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.35W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL ADJUSTABLE POSTER LIGHT


FINISHES

- CL-43976
- CL-43977
- CL-43855
- CL-43975
- CL-44176

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x E27 Max.60W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



SMALL DOME POSTER LIGHT


FINISHES

- CL-50431
- CL-50432
- CL-50433
- CL-50434
- CL-50435

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.35W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS POSTER LIGHT WITH FLEX



FINISHES

- CL-43812
- CL-42789
- CL-42796
- CL-43813
- CL-44303

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWIN BRASS CONE WALL LIGHT



FINISHES

- CL-50436
- CL-50437
- CL-50438
- CL-50439
- CL-50440

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWIN DECORATIVE POSTER LIGHT



FINISHES

- CL-44383
- CL-44382
- CL-44358
- CL-44380
- CL-44381

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE BRASS POSTER LIGHT



FINISHES

- CL-43815
- CL-43816
- CL-42799
- CL-43814
- CL-44178

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



TWIN BRASS CONE WALL LIGHT


FINISHES

- CL-43819
- CL-43818
- CL-43372
- CL-43817
- CL-44206

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE BRASS WALL LIGHT


FINISHES

- CL-43840
- CL-44122
- CL-44121
- CL-44123
- CL-44189

MATERIALS

Solid Brass

TECHNICAL




SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks





PRISMATIC GLASS BRASS WALL LIGHT

FINISHES

- CL-44159
- CL-44158
- CL-43500
- CL-44160
- CL-44161


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



FLORAL BRASS WALL LIGHT

FINISHES

- CL-43916
- CL-43915
- CL-43913
- CL-43914
- CL-44180


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



BRASS WALL LIGHT

FINISHES

- CL-44114
- CL-44132
- CL-44131
- CL-44133
- CL-44191


MATERIALS

Solid Brass

GLASS

Prismatic

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks



PAROGON GROUP, THE RED HOUSE



HARDWIRED BRASS DOME TABLE LAMP

FINISHES

- CL-43892
- CL-43893
- CL-43891
- CL-43894
- CL-44196

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20
Hardwired
All Thread 150mm As Standard

TECHNICAL



HARDWIRED BRASS DOME TABLE LAMP

FINISHES

- CL-43886
- CL-43887
- CL-43884
- CL-43885
- CL-44194

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20
Hardwired
All Thread 150mm As Standard

TECHNICAL





HARDWIRED BRASS TWIN GLOBE

FINISHES

- CL-43802
- CL-43792
- CL-43803
- CL-43805
- CL-44207

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

SPECIFICATION

2 x E14 Max.40W (Not Included)
 220-240 V, 50/60 Hz
 Rated IP20
 Hardwired
 All Thread 150mm As Standard

TECHNICAL



ADJUSTABLE COOLIE TABLE LAMP


FINISHES

- CL-50112
- CL-50111
- CL-44070
- CL-50109
- CL-50110

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x B22 Max.40W (Not Included)
 220-240 V, 50/60 Hz
 Rated IP20

LEAD TIME

Up to 4 Weeks



ADJUSTABLE BRASS TABLE LAMP

FINISHES

- CL-50116
- CL-50115
- CL-44062
- CL-50113
- CL-50114

SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


LEAD TIME

Up to 4 Weeks

MATERIALS

Solid Brass

TECHNICAL



HAMMERED BRASS TABLE LAMP

FINISHES

- CL-51000
- CL-51001
- CL-51002
- CL-43482
- CL-51003

SPECIFICATION

1 x E14 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

LEAD TIME

Up to 4 Weeks


MATERIALS

Solid Brass

SHADE

Base Only

TECHNICAL





HARDWIRED BRASS FLOOR LAMP

HARDWIRED BRASS FLOOR LAMP


TABLE & FLOOR

GLASS OPTION


ELONGATED



TECHNICAL - BASE PLATE



TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

ELONGATED CLEAR GLASS

CL-50333 CL-50334 CL-50335 CL-50336 CL-50337

ELONGATED OPAL GLASS

CL-50338 CL-50339 CL-50340 CL-50341 CL-50342

HARDWIRED BRASS FLOOR LAMP

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.

ELONGATED CLEAR, & ELONGATED OPAL GLASS AVAILABLE.



HARDWIRED BRASS GLOBE FLOOR LAMP

HARDWIRED BRASS FLOOR LAMP

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER.
CLEAR, PRISMATIC & OPAL GLASS AVAILABLE.

HARDWIRED BRASS GLOBE FLOOR LAMP


TABLE & FLOOR

GLASS OPTION

CLEAR





PRISMATIC




OPAL



TECHNICAL - BASE PLATE



TECHNICAL



SPECIFICATION

1 x E27 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

CLEAR GLOBE

CL-50323 CL-50324 CL-50325 CL-50326 CL-50327

PRISMATIC GLOBE

CL-50328 CL-50329 CL-50330 CL-50331 CL-50332

OPAL GLOBE

CL-45037 CL-50319 CL-50320 CL-50321 CL-50322



BRASS SPOTLIGHT VARIATIONS


BRASS SPOTLIGHT VARIATIONS

AVAILABLE IN A NUMBER OF FINISHES INCLUDING SATIN BRASS, BRONZE & PEWTER..

DIRECTIONAL BRASS CONE SPOTLIGHT

SPOTLIGHTS

TECHNICAL - SINGLE



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50165 CL-50166 CL-50167 CL-50169 CL-50168

TECHNICAL - DOUBLE



SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50170 CL-50173 CL-50171 CL-50172 CL-50174

TECHNICAL - TRIPLE



SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50401 CL-50402 CL-50403 CL-50404 CL-50405

TECHNICAL - CIRCULAR



SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


FINISHES

CL-50180 CL-50182 CL-50181 CL-50184 CL-50183

BRASS CONE SPOTLIGHT WITH FLEX

SPOTLIGHTS

TECHNICAL - SINGLE



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50175 CL-50177 CL-50176 CL-50179 CL-50178

TECHNICAL - DOUBLE



SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50230 CL-50231 CL-50232 CL-50233 CL-50234

TECHNICAL - CIRCULAR



SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


FINISHES

CL-50235 CL-50236 CL-50237 CL-50238 CL-50239

BRASS DIRECTIONAL SPOTLIGHTS

SPOTLIGHTS

TECHNICAL - SINGLE



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50210 CL-50211 CL-50212 CL-50213 CL-50214

TECHNICAL - DOUBLE



SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50215 CL-50216 CL-50217 CL-50218 CL-50219

TECHNICAL - TRIPLE



SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

FINISHES

CL-50471 CL-50472 CL-50473 CL-50474 CL-50475

TECHNICAL - CIRCULAR



SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks


FINISHES

CL-50220 CL-50221 CL-50222 CL-50223 CL-50224

DIRECTIONAL BRASS SPOTLIGHT WITH FLEX

SPOTLIGHTS

TECHNICAL - SINGLE



FINISHES

CL-50270 CL-50271 CL-50272 CL-50273 CL-50274

SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - DOUBLE



FINISHES

CL-50275 CL-50276 CL-50277 CL-50278 CL-50279

SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - CIRCULAR



FINISHES

CL-50280 CL-50281 CL-50282 CL-50283 CL-50284

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

DIRECTIONAL DOME BRASS SPOTLIGHT

SPOTLIGHTS

TECHNICAL - SINGLE



FINISHES

CL-50185 CL-50186 CL-50187 CL-50188 CL-50189

SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - DOUBLE



FINISHES

CL-50190 CL-50191 CL-50192 CL-50193 CL-50194

SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - TRIPLE



FINISHES

CL-50461 CL-50462 CL-50463 CL-50464 CL-50465

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - CIRCULAR



FINISHES

CL-50195 CL-50196 CL-50197 CL-50198 CL-50199

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

DIRECTIONAL DOME SPOTLIGHT WITH FLEX

SPOTLIGHTS

TECHNICAL - SINGLE



FINISHES

CL-50255 CL-50256 CL-50257 CL-50258 CL-50259

SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - DOUBLE



FINISHES

CL-50260 CL-50261 CL-50262 CL-50263 CL-50264

SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - CIRCULAR



FINISHES

CL-50265 CL-50266 CL-50267 CL-50268 CL-50269

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

DECORATIVE DIRECTIONAL BRASS SPOT

SPOTLIGHTS

TECHNICAL - SINGLE



FINISHES

CL-50210 CL-50211 CL-50212 CL-50213 CL-50214

SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - DOUBLE



FINISHES

CL-50215 CL-50216 CL-50217 CL-50218 CL-50219

SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - TRIPLE



FINISHES

CL-50406 CL-50407 CL-50408 CL-50409 CL-50410

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - CIRCULAR



FINISHES

CL-50466 CL-50467 CL-50468 CL-50469 CL-50470

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass


LEAD TIME

Up to 4 Weeks

DECORATIVE SPOTLIGHT WITH FLEX

SPOTLIGHTS

TECHNICAL - SINGLE



FINISHES

CL-50240 CL-50241 CL-50242 CL-50243 CL-50244

SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - DOUBLE



FINISHES

CL-50245 CL-50246 CL-50247 CL-50248 CL-50249

SPECIFICATION

2 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20


MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks

TECHNICAL - CIRCULAR



FINISHES

CL-50250 CL-50251 CL-50252 CL-50253 CL-50254

SPECIFICATION

3 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Rated IP20

MATERIALS

Solid Brass

LEAD TIME

Up to 4 Weeks



DECORATIVE BRASS TRACK SPOTLIGHT


FINISHES

CL-50390
CL-50391
CL-50392
CL-50393
CL-50394

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Single Circuit
Rated IP20

LEAD TIME

Up to 4 Weeks

DOME TRACK SPOTLIGHT




FINISHES

- CL-50200
- CL-50201
- CL-50202
- CL-50203
- CL-50204

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Single Circuit
Rated IP20

LEAD TIME

Up to 4 Weeks

DECORATIVE BRASS TRACK SPOTLIGHT




FINISHES

- CL-50225
- CL-50226
- CL-50227
- CL-50228
- CL-50229

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Single Circuit
Rated IP20

LEAD TIME

Up to 4 Weeks



CONE TRACK SPOTLIGHT


FINISHES

- CL-50205
- CL-50206
- CL-50207
- CL-50208
- CL-50209

MATERIALS

Solid Brass

TECHNICAL



SPECIFICATION

1 x GU10 Max.40W (Not Included)
220-240 V, 50/60 Hz
Single Circuit
Rated IP20

LEAD TIME


Up to 4 Weeks



PAROGON GROUP, WILLOW

FLEX

Our wide range of coloured flex allows you to create a combination to be proud of. Introducing coloured flex to your pendant can help complete the fitting, as well as complimenting other accents throughout the room.
More colours upon request.



Yellow



Black



Blue



Brown



Bronze



Gilt



Gold



Green



Grey



Ivory



White



Silver



Red

FABRIC SWATCHES

With our extensive range of fabrics you can customise a wide scope of our fittings, whether its to bring colour into a room or compliment your feature wall we've got you covered.



CL-44249
Cream



CL-44244
Duck Egg Blue



CL-44252
Jet Black



CL-44243
Lava Red



CL-44242
Midnight Blue



CL-44246
Mustard Yellow



CL-44245
Olive Green



CL-44248
Pastel Pink



CL-44250
Rustic Gold



CL-44247
Sandy Beige



CL-44251
Silver Pearl



CL-44241
Slate Blue



CL-44284
Tangerine

E2 CONTRACT LIGHTING

Euro House
Cold Meece
Stone
ST15 0QN

Sales@e2lighting.co.uk

www.e2contractlighting.co.uk

+44 (0) 1785 760939