

5 LIGHT BRASS CHANDELIER WITH GLASS GLOBES



Part: N/A

Categories: [Ceiling](#), [Chandeliers](#), [Chandeliers](#), [Lighting](#)

Tag: [Brass Lighting](#)

ADDITIONAL INFORMATION

Finish	Antique Brass, Bronze, Pewter, Polished Brass, Satin Brass
Max Height (mm)	1200
Width (mm)	940
No. of Lamp	5
Lamp Holder	E27
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Glass	Prismatic Globe, Opal Globe, Clear Globe



ADDITIONAL INFORMATION


Finish	Antique Brass, Bronze, Pewter, Polished Brass, Satin Brass
Max Height (mm)	1200

Width (mm)	940
No. of Lamp	5
Lamp Holder	E27
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Glass	Prismatic Globe, Opal Globe, Clear Globe

VARIATIONS

Part	Finish	Glass
CL-43312	Antique Brass	Prismatic Globe
CL-44209	Antique Brass	Opal Globe
CL-44228	Antique Brass	Clear Globe
CL-44213	Bronze	Prismatic Globe
CL-44217	Bronze	Opal Globe
CL-44229	Bronze	Clear Globe
CL-44214	Pewter	Prismatic Globe
CL-44218	Pewter	Opal Globe
CL-44232	Pewter	Clear Globe
CL-44211	Polished Brass	Prismatic Globe
CL-44215	Polished Brass	Opal Globe
CL-44231	Polished Brass	Clear Globe
CL-44212	Satin Brass	Prismatic Globe
CL-44216	Satin Brass	Opal Globe
CL-44230	Satin Brass	Clear Globe

GALLERY IMAGES



PRODUCT DESCRIPTION

Five light brass chandelier with glass globes. Available in Polished Brass, Satin Brass, Antique Brass, Bronze or Pewter. Also available with opal, clear or prismatic glass globes.

E2 Contract Lighting specialises in the manufacture of bespoke lighting solutions for our clients. If you can't find what you need on our website, contact our [Sales Team](#) who will work with you to create your ideal contract lighting solution.

Please note that this product is manufactured to order. Our current lead times mean that this product will be out for delivery 4 weeks after payment is confirmed. In the event that you wish to return this item, our made to order products are subject to a minimum 30% return fee. See our [Returns](#) page for more details.

