

### ANTIQUE BRASS FLEXI WALL LIGHT WITH USB



**Part:** CL-51073

**Categories:** [Lighting](#), [Wall Lights](#), [Wall Lights](#)

#### ADDITIONAL INFORMATION

|                              |                     |
|------------------------------|---------------------|
| <b>Finish</b>                | Antique Brass       |
| <b>Item Nett Weight (Kg)</b> | 0.55 Kg             |
| <b>Fitting Height (mm)</b>   | 250                 |
| <b>Width (mm)</b>            | 65                  |
| <b>Projection (mm)</b>       | 240                 |
| <b>No. of Lamp</b>           | 1                   |
| <b>Lamp Holder</b>           | Integral LED        |
| <b>Protection Class</b>      | Class I, Earthed    |
| <b>Input Voltage (V)</b>     | 220-240 V, 50/60 Hz |
| <b>Dimmable</b>              | No                  |
| <b>CE</b>                    | Yes                 |
| <b>Lead Time</b>             | 4 Weeks             |

#### ADDITIONAL INFORMATION

|                              |                     |
|------------------------------|---------------------|
| <b>Finish</b>                | Antique Brass       |
| <b>Item Nett Weight (Kg)</b> | 0.55 Kg             |
| <b>Fitting Height (mm)</b>   | 250                 |
| <b>Width (mm)</b>            | 65                  |
| <b>Projection (mm)</b>       | 240                 |
| <b>No. of Lamp</b>           | 1                   |
| <b>Lamp Holder</b>           | Integral LED        |
| <b>Protection Class</b>      | Class I, Earthed    |
| <b>Input Voltage (V)</b>     | 220-240 V, 50/60 Hz |
| <b>Dimmable</b>              | No                  |
| <b>CE</b>                    | Yes                 |
| <b>Lead Time</b>             | 4 Weeks             |

### PRODUCT DESCRIPTION

Antique brass flexi wall light with USB port.

E2 Contract Lighting specialises in the manufacture of bespoke lighting solutions for our clients. If you can't find what you need on our website, contact our [Sales Team](#) who will work with you to create your ideal contract lighting solution.

