

### CRYSTAL ROCK ANTIQUE BRONZE WALL LIGHT



**Part:** CL-39670

**Categories:** [Lighting](#), [Wall Lights](#)

#### ADDITIONAL INFORMATION

|                            |                     |
|----------------------------|---------------------|
| <b>Finish</b>              | Antique Bronze      |
| <b>Fitting Height (mm)</b> | 381                 |
| <b>Width (mm)</b>          | 152                 |
| <b>Projection (mm)</b>     | 117                 |
| <b>Energy Class</b>        | A – E               |
| <b>No. of Lamp</b>         | 1                   |
| <b>Lamp Holder</b>         | E14                 |
| <b>Protection Class</b>    | Class I, Earthed    |
| <b>Input Voltage (V)</b>   | 220-240 V, 50/60 Hz |
| <b>IP Rating</b>           | IP20                |
| <b>CE</b>                  | Yes                 |
| <b>Lead Time</b>           | 4 Weeks             |

#### ADDITIONAL INFORMATION

|               |                |
|---------------|----------------|
| <b>Finish</b> | Antique Bronze |
|---------------|----------------|

|                            |                     |
|----------------------------|---------------------|
| <b>Fitting Height (mm)</b> | 381                 |
| <b>Width (mm)</b>          | 152                 |
| <b>Projection (mm)</b>     | 117                 |
| <b>Energy Class</b>        | A – E               |
| <b>No. of Lamp</b>         | 1                   |
| <b>Lamp Holder</b>         | E14                 |
| <b>Protection Class</b>    | Class I, Earthed    |
| <b>Input Voltage (V)</b>   | 220-240 V, 50/60 Hz |
| <b>IP Rating</b>           | IP20                |
| <b>CE</b>                  | Yes                 |
| <b>Lead Time</b>           | 4 Weeks             |

### PRODUCT DESCRIPTION

Crystal rock antique bronze wall light.

E2 Contract Lighting specialises in the manufacture of bespoke lighting solutions for our clients. If you can't find what you need on our website, contact our [Sales Team](#) who will work with you to create your ideal contract lighting solution.

