

BRASS GLASS GLOBE WALL LIGHT WITH FLEX



Part: N/A

Categories: [Lighting](#), [Wall Lights](#), [Wall Lights](#), [Wall Lights](#)

Tag: [Brass Lighting](#)

ADDITIONAL INFORMATION

Finish	Antique Brass, Bronze, Pewter, Polished Brass, Satin Brass
Fitting Height (mm)	350
Width (mm)	200
Projection (mm)	250
No. of Lamp	1
Lamp Holder	E27
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Glass	Prismatic Globe, Opal Globe, Clear Globe

ADDITIONAL INFORMATION

Finish	Antique Brass, Bronze, Pewter, Polished Brass, Satin Brass
---------------	--

Fitting Height (mm)	350
Width (mm)	200
Projection (mm)	250
No. of Lamp	1
Lamp Holder	E27
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Glass	Prismatic Globe, Opal Globe, Clear Globe

VARIATIONS

Part	Finish	Glass
CL-43745	Satin Brass	Clear Globe
CL-43741	Antique Brass	Opal Globe
CL-43763	Antique Brass	Prismatic Globe
CL-43746	Polished Brass	Clear Globe
CL-43742	Bronze	Opal Globe
CL-43764	Bronze	Prismatic Globe
CL-43748	Antique Brass	Clear Globe
CL-43744	Polished Brass	Opal Globe
CL-43766	Polished Brass	Prismatic Globe
CL-43747	Bronze	Clear Globe
CL-43743	Satin Brass	Opal Globe
CL-43765	Satin Brass	Prismatic Globe

GALLERY IMAGES



PRODUCT DESCRIPTION

Brass wall light with glass globe and flex. Available in Polished Brass, Satin Brass, Antique Brass, Bronze or Pewter. Also available with opal, clear or prismatic glass globes.

E2 Contract Lighting specialises in the manufacture of bespoke lighting solutions for our clients. If you can't find what you need on our website, contact our [Sales Team](#) who will work with you to create your ideal contract lighting solution.

Please note that this product is manufactured to order. Our current lead times mean that this product will be out for delivery 4 weeks after payment is confirmed. In the event that you wish to

E2 Contract Lighting

SPECIFICATION SHEET

return this item, our made to order products are subject to a minimum 30% return fee. See our [Returns](#) page for more details.

