

### OUTWARDS LED RING PENDANT / CHANDELIER CLB-00652



**Part:** N/A

**Category:** [Lighting](#)

#### ADDITIONAL INFORMATION

**Finish**

#### ADDITIONAL INFORMATION

**Finish**

#### GALLERY IMAGES



### PRODUCT DESCRIPTION

#### OUTWARDS LED RING PENDANT / CHANDELIER CLB-00652

Commercial Outwards LED Ring Pendant light fitting which can also be stacked into a large chandelier feature.

Round circular aluminum-extruded frames with multiple drops by customizing size, finish installation and adaptability.

Non-Dimmable

#### Installation Styles





- Maximum Height - 3000mm
- Minimum Height - 500mm
- Width - 600mm
- Output - 2880lm
- Wattage - 34W



- Maximum Height - 3000mm
- Minimum Height - 700mm
- Width - 1200mm
- Output - 5760lm
- Wattage - 69W



- Maximum Height - 5000mm
- Minimum Height - 800mm
- Width - 2000mm
- Output - 10080lm
- Wattage - 120W



- Maximum Height - 5000mm
- Minimum Height - 800mm
- Width - 3000mm
- Output - 14880lm
- Wattage - 178W



- Maximum Height - 4000mm
- Minimum Height - 1000mm
- Widths - 1200mm, 2000mm, 3000mm, 2000mm, 1200mm
- Output - 46560lm
- Wattage - 558W



- Maximum Height - 3000mm
- Minimum Height - 1000mm
- Widths - 600mm, 1200mm, 2000mm, 1200mm, 600mm
- Output - 27360lm
- Wattage - 328W



- Maximum Height - 4000mm
- Minimum Height - 1000mm
- Widths - 3000mm, 2000mm, 1200mm
- Output - 30720lm
- Wattage - 328W



- Maximum Height - 3000mm
- Minimum Height - 1000mm
- Widths - 2000mm, 1200mm, 600mm
- Output - 18720lm
- Wattage - 224W



- Maximum Height - 4000mm
- Minimum Height - 1000mm
- Widths - 1200mm, 2000mm, 2000mm, 1200mm
- Output - 31680lm
- Wattage - 380W

# E2 Contract Lighting

## SPECIFICATION SHEET



- Maximum Height - 3000mm
- Minimum Height - 1000mm
- Widths - 600mm, 1200mm, 1200mm, 600mm
- Output - 17280lm
- Wattage - 207W

**Please Contact for delivery times**

