

### TWIN CAGE SPOTLIGHT BAR



**Part:** CL-51125

**Categories:** [Lighting](#), [Spotlights](#), [Spotlights & Downlights](#)

#### ADDITIONAL INFORMATION

|                              |                     |
|------------------------------|---------------------|
| <b>Finish</b>                | Matt Black          |
| <b>Item Nett Weight (Kg)</b> | 2.9 Kg              |
| <b>Fitting Height (mm)</b>   | 210                 |
| <b>Length (mm)</b>           | 475                 |
| <b>Width (mm)</b>            | 180                 |
| <b>No. of Lamp</b>           | 2                   |
| <b>Lamp Holder</b>           | E27                 |
| <b>Protection Class</b>      | Class I, Earthed    |
| <b>Input Voltage (V)</b>     | 220-240 V, 50/60 Hz |
| <b>IP Rating</b>             | IP20                |
| <b>CE</b>                    | Yes                 |
| <b>Lead Time</b>             | 4 Weeks             |

#### ADDITIONAL INFORMATION

|                              |                     |
|------------------------------|---------------------|
| <b>Finish</b>                | Matt Black          |
| <b>Item Nett Weight (Kg)</b> | 2.9 Kg              |
| <b>Fitting Height (mm)</b>   | 210                 |
| <b>Length (mm)</b>           | 475                 |
| <b>Width (mm)</b>            | 180                 |
| <b>No. of Lamp</b>           | 2                   |
| <b>Lamp Holder</b>           | E27                 |
| <b>Protection Class</b>      | Class I, Earthed    |
| <b>Input Voltage (V)</b>     | 220-240 V, 50/60 Hz |
| <b>IP Rating</b>             | IP20                |
| <b>CE</b>                    | Yes                 |
| <b>Lead Time</b>             | 4 Weeks             |

### PRODUCT DESCRIPTION

Twin cylinder mesh cage spotlight bar.

E2 Contract Lighting specialises in the manufacture of bespoke lighting solutions for our clients. If you can't find what you need on our website, contact our [Sales Team](#) who will work with you to create your ideal contract lighting solution.

